



INSTALLATION

➤ Instructions

Adapter Roof - Laika Kreos 301999





DE Adapter - Anleitung
NL Adapter - Instructies
FR Adaptateur - Instructions
IT Adattatore - Istruzioni
ES Adaptador - Instrucciones
SV Adapter - Instruktioner
FI Adapteri - Ohjeet
DA Adapter - Instruktioner
NO Adapter - Instruksjoner

PL Adapter - Instrukcje
PT Adaptador - Instruções
CS Adaptér - Návod
SL Adapter - Navodila
TR Adaptör - Talimatlar
ZH 适配器 - 说明
JA アダプター - 取扱説明書
KO 어댑터 - 지침

1 WARNINGS & INFO**4**

Warnungen & Infos / Waarschuwingen & info / Avertissements & informations / Avvertenze & informazioni / Advertencias & información / Varningar & information / Varoituksia & tietoja / Advarsler & info / Advarsler & information / Ostrzeżenia & informacje / Avisos e informações / Varování a informace / Opozorila in informacije / Uyarılar ve Bilgiler / 警告和信息 / 警告と情報 / 경고 및 정보

2 CONTENT**5**

Inhalt / Inhoudsopgave / Sommaire / Contenuto / Contenido / Innehåll / Sisällys / Indhold / Innhold / Treść / Índice / Obsah / Kazalo / İçerik / 目录 / 目次 / 목차



3 TOOLS**5**

Werkzeuge / Gereedschappen / Outils / Strumenti / Herramientas / Verktøy / Työkalut / Værktøj / Verktøy / Narzędzia / Ferramentas / Nářadí / Orodja / Aletler / 工具 / ツール / 도구

4 INSTALLATION**6**

Montage / Installatie / Installation / Installazione / Instalación / Montering / Asennus / Montering / Montering / Montaj / Instalação / Montáž / Nameštitev / Montaj / 安装 / 取り付け / 설치






1 WARNINGS & INFO



OK



NOK





ACTIVATOR SIKA 205



ANTI-CORROSION



GLUE SIKA 252



DEGREASER





SAND PAPER P60



SEALANT SIKA 221

2 CONTENT




x4




x4

M6
A2



x4

M6 x 16 mm
A2



x4



x4


M6
A2



x10

4,2 x 25 mm
TX20
A2

**OPTIONAL :
Thule EPDM sealing (1500603354)**




**x2
2 m**


3 TOOLS



TX20



N° 10



Ø 3 mm




GLUE



SEALANT

4 INSTALLATION


1






2




i



AWNING	LENGTH AWNING (X)	Y
TO 6300	3,75 m	3,45 m
	4 m	3,70 m
	4,50 m	4,20 m
	5 m	4,70 m




x2



3



Ø 3 mm



4




1



2



x2



5



A



1




2



3



x2



B




1



2



x2




6



A






x4




B


x2





C




7





x2




8



x4



9



A




OPTIONAL

Thule EPDM sealing (1500603354)


1





2




C



10



x4



N° 10

